May 2021

NASDAQ: **IDYA**

IDEAYA Biosciences

Improving Lives Through Transformative Precision Medicines

Safe Harbor Statement

Certain statements in this presentation and the accompanying oral commentary are forward-looking statements. These statements relate to future events or the future financial performance of IDEAYA Biosciences, Inc. (the “Company”) and involve known and unknown risks, uncertainties and other factors that may cause the actual results, levels of activity, performance or achievements of the Company or its industry to be materially different from those expressed or implied by any forward-looking statements. In some cases, forward-looking statements can be identified by terminology such as “may,” “will,” “could,” “would,” “should,” “expect,” “plan,” “anticipate,” “intend,” “believe,” “estimate,” “predict,” “potential” or other comparable terminology. All statements other than statements of historical fact could be deemed forward-looking, including any expectations regarding the Company’s target discovery platform or new target validation efforts as creating opportunities for research and development initiatives; any projections of financial information, market opportunities, cash runway or profitability; any statements about historical results that may suggest trends for the Company's business; any statements of the plans, strategies, and objectives of management for development programs or future operations; any statements about the timing of preclinical research, clinical development, regulatory filings, manufacturing or release of data; any statements of expectation or belief regarding future events, potential markets or market size, technology developments, or receipt of cash milestones, option exercise fees or royalties; and any statements of assumptions underlying any of the items mentioned. The Company has based these forward-looking statements on its current expectations, assumptions, estimates and projections. While the Company believes these expectations, assumptions, estimates and projections are reasonable, such forward-looking statements are only predictions and involve known and unknown risks and uncertainties, many of which are beyond the Company's control. These and other important factors may cause actual results, performance or achievements to differ materially from those expressed or implied by these forward-looking statements. The forward-looking statements in this presentation are made only as of the date hereof. For a further description of the risks and uncertainties that could cause actual results to differ from those expressed in these forward-looking statements, as well as risks relating to the business of the Company in general, see the Company's periodic filings with the Securities and Exchange Commission (the "SEC"), including its Quarterly Report on Form 10Q for the quarter ended March 31, 2021 and any current and periodic reports filed thereafter. Except as required by law, the Company assumes no obligation and does not intend to update these forward-looking statements or to conform these statements to actual results or to changes in the Company's expectations.

This presentation concerns anticipated products that are under clinical investigation and which have not yet been approved for marketing by the U.S. Food and Drug Administration (FDA). It is currently limited by Federal law to investigational use, and no representation is made as to its safety or effectiveness for the purposes for which it is being investigated.

IDEAYA Biosciences Highlights

Leading Synthetic Lethality (SL) focused biotechnology company advancing transformative precision medicine therapies for cancer patients

- **Broad Pipeline for Key Emerging Targets** including clinical stage IDE397 (MAT2A) and IDE196 (PKC), and development candidate selection stage programs PARG & Pol Theta
- **Pharma Collaborations** with Pfizer & GSK, with over ~$3 billion in potential milestones
- **Strong Balance Sheet** with ~$325 M in cash anticipated to fund operations into 2024 [1, 2]
- **NASDAQ**: IDYA

- **Target Catalysts – H2 2021**
  - IDE397 Phase 1
    - Clinical Pharmacodynamic Data
  - Select PARG Development Candidate
  - Select Pol Theta Development Candidate
  - Darovasertib (IDE196) Phase 1/2
    - Regulatory Guidance for Monotherapy
    - Clinical Data Update for Combination(s)

(1) IDEAYA Form 10Q and Q1 2021 Financials filed with the U.S. Securities and Exchange Commission on May 10, 2021
(2) Includes $310.4 million cash, cash equivalents and marketable securities as of March 31, 2021 plus proceeds from issuance of shares under at-the-market (ATM) facility in an amount of $14.6 million gross March 31, 2021 through May 9, 2021 pursuant to IDEAYA Form 10Q and Q1 2021 Financials (May 10, 2021)

Synthetic Lethality

The Next Frontier in Precision Medicine Oncology

Synthetic Lethality provides a powerful approach to discover novel precision medicine therapies with patient biomarkers, including MTAP-deletion (~15% of solid tumors), BRCA/HRD (Breast, Prostate, Ovarian), and high-MSI (15% GI Cancers)

nature REVIEWS GENETICS

- **Synthetic lethality** occurs when the simultaneous perturbation of two genes results in cell death
- Synthetic lethal interactions with tumor-specific mutations (biomarker) may be exploited to develop anticancer therapies
- Large-scale screening for synthetic lethal targets has progressed through advances in molecular biology (e.g., RNA interference, CRISPR-Cas9 editing) and bioinformatics

Nature Reviews Genetics, Vol. 18, 2017, Hieter, et al



Reference: Charles Boone

IDEAYA's Precision Medicine Oncology Pipeline

Building the Industry Leading Synthetic Lethality Focused Biotechnology Company

Precision Medicine Pipeline

		Modality/Indication	Biomarker	Preclinical	IND Enabling	Phase 1	Phase 2	2021 Goals	Collaborations	Commercial (IDEAYA)
Synthetic Lethality	**IDE397** *MAT2A*	Monotherapy Solid Tumors	MTAP					Clinical Pharmacodynamic Data H2 2021	gsk (1)	US 50/50 Profit Share Ex-US Royalties
		Combinations Solid Tumors	MTAP					Preclinical Data to enable Combos (Taxanes, PRMTi, Others)		
	PARG	Ovarian, Gastric, Breast Cancers	Defined Biomarker					Select Development Candidate H2 2021	CANCER RESEARCH UK (2)	WW Commercial Rights
	Pol Theta	Small Molecule Protein Degraders	HRD					Select Development Candidate H2 2021	gsk (1)	Global Royalties
	WRN	GI Cancers	High-MSI					Chemistry Lead Optimization	gsk (1)	US 50/50 Profit Share Ex-US Royalties
	Platform	Solid Tumors	Defined Biomarker					Lead Series (DNA Damage Targets, MTAP-SL) New Target / Biomarker Validation		WW Commercial Rights
Kinase	**Darovasertib** *PKC*	Monotherapy MUM, Skin Melanoma	GNAQ/11					Regulatory Guidance in MUM H2 2021		WW Commercial Rights
		+MEK Combination MUM	GNAQ/11					Clinical Data Update - Combination(s) H2 2021 Binimetinib Combination (Ph 2) Crizotinib Combination (Ph 1)	Pfizer (3)	
		+cMET Combination MUM	GNAQ/11							

(1) Pursuant to GSK Collaboration, Option and License Agreement: MAT2A and WRN: 50/50 US Profits + ex-US Royalties; Polθ: Global Royalties
(2) Pursuant to CRUK Evaluation, Option and License Agreement, with ongoing Collaborative Research; IDEAYA controls all Commercial Rights
(3) Pursuant to Pfizer Clinical Trial Collaboration and Supply Agreement for MEK and cMET Combinations; IDEAYA retains all IDE196 Commercial Rights

DDT = DNA Damage Target, WRN = Werner Helicase, Polθ = DNA Polymerase Theta, HRD = homologous recombination deficiency, MSI = microsatellite instability
PKC = protein kinase C, MUM = metastatic uveal melanoma, SWS = Sturge-Weber Syndrome, MEK = binimetinib, cMET = crizotinib, WW = worldwide

= Target Program Milestone through 2021

IDEAYA Leadership Team and Scientific Advisory Board

Experienced Team & Scientific Thought Leaders in Precision Medicine Oncology

IDEAYA Executives & R&D Leadership

Yujiro Hata, M.B.A.
President, Chief Executive Officer, Director
FLEXUS BIOSCIENCES · Bristol-Myers Squibb · ONYX PHARMACEUTICALS · ENANTA Pharmaceuticals · AMGEN

Michael Dillon, Ph.D.
SVP, Chief Scientific Officer
Head of Research
NOVARTIS · Roche

Paul Stone, J.D.
SVP, Chief Financial Officer
5AM VENTURES · ILYPSA · AMGEN

Mark Lackner, Ph.D.
SVP, Head of Biology &
Translational Sciences
Genentech · EXELIXIS

Matthew Maurer, M.D.
VP, Head of Clinical Oncology &
Medical Affairs
Bristol-Myers Squibb · COLUMBIA

Mick O'Quigley, M.B.A.
VP, Development Operations
Genentech · AMGEN

Paul Barsanti, Ph.D.
SVP, Head of Drug Discovery
5AM VENTURES · nurix · NOVARTIS · CHIRON

Jason Throne, J.D.
SVP, General Counsel
neotract · THORATEC CORPORATION

IDEAYA Scientific Advisory Board

Alan D'Andrea, M.D.
IDEAYA SAB Chair
Harvard Medical School, Professor
Director, Center of DNA Damage and Repair, Dana Farber

William Sellers, M.D.
Broad Institute, Dana Farber, and Harvard, Professor
Novartis, Former Head Oncology Research,
SL Project Drive initiative

Frank McCormick, Ph.D.
UCSF, Professor and former Director,
Helen Diller Cancer Center
Former President AACR; Founder and CSO, Onyx

Trey Ideker, Ph.D.
UCSD, Professor, Co-Director Cancer Genomes & Networks
Program, Research in Dual-CRISPR and SL interaction maps

Brian Daniels, M.D.
Bristol Myers Squibb, Former SVP Global Development
& Medical Affairs

Elizabeth Swisher, M.D.
University of Washington, Professor; Co-Leader, Breast and
Ovarian Cancer Research Program, Seattle Cancer Care Alliance
Principal Investigator on multiple PARP inhibitor trials

Jeffrey Hager, Ph.D.
Former Chief Technology Officer, IDEAYA

IDEAYA BIOSCIENCES

IDEAYA and GSK Strategic Partnership

Landmark Partnership in Synthetic Lethality

Transformative Strategic Partnership

- Validates IDEAYA Synthetic Lethality platform
- Creates strategic combination opportunities
- Advancing small molecules and protein degraders

Key Partnership Terms

- $100M cash upfront
- $20M equity investment as direct private placement
- $50M option exercise fee for MAT2A
- Over $3 billion in potential Milestone Payments, including approximately $1 billion per program
- 50/50 US profit share for MAT2A and Werner Helicase
- 20% cost share allocated to IDEAYA for MAT2A, Werner
- Royalties tiered high single-digit to sub-teen double digit %

MAT2A (MTAP Deletion)

- $50M Option Fee, 50/50 US Profit Share & ex-US Royalties
- ~$1B potential Milestone Payments
- Evaluating multiple clinical combination opportunties

Werner Helicase (MSI High)

- 50/50 US Profit Share and ex-US Royalties
- ~$1B potential Milestone Payments
- Potential Combination with GSK's Dostarlimab, a PD-1 IO Agent

Pol Theta (BRCA/HRD)

- GSK covers all Costs
- Global Royalties and ~$1B potential Milestone Payments
- Potential Combination with GSK's Zejula™, a PARP Inhibitor

IDEAYA Form 8-K current report filed with the U.S. Securities and Exchange Commission on June 16, 2020; GlaxoSmithKline Q2 2020 Earnings Presentation

IDEAYA Synthetic Lethality Platform

Fully-Integrated Target, Biomarker, Drug Discovery and Translational Capabilities

SL Target & Biomarker Discovery and Validation

Bioinformatics, including AI Algorithms

Dual CRISPR, CRISPR, siRNA

Genetically Engineered Models

- Key emerging SL targets identified, such as Werner Helicase, Pol Theta and PARG
- DECIPHER™ - Dual CRISPR SL Library in DDR in collaboration with UCSD
- PAGEO™ - Paralogous Gene Evaluation in Ovarian in collaboration with Broad Institute

Drug Discovery and Pharmacological Validation

Structure Based Drug Design

Small Molecule Chemistry

Protein Degrader Capabilities

- Crystal structures for five SL programs obtained to enable structure-based design
- Differentiated candidate compounds discovered, including IDE397
- Protein degraders advancing for selected targets, including Pol Theta

Translational Research and Opportunity Expansion

Genomics – DNA and RNA Analysis

Proteomics – Protein Expression Profiling

Tissue (IHC, IF) and Liquid Biopsies Analysis

- Translational research to define clinical biomarkers
- Opportunity expansion through broad cell panel screening
- PD biomarker analysis to confirm target modulation and correlation with clinical activity

IDEAYA Synthetic Lethality Platform

Synthetic Lethality Target and Biomarker Discovery and Validation

Synthetic Lethality Target Discovery & Validation Platform

IDEAYA SL Platform integrates extensive proprietary and public data sets with orthogonal and complementary content

Bioinformatic analysis enables identification and validation of synthetic lethal target / biomarker interactions across vast datasets

Robust SL interactions validated genetically (Dual CRISPR, paralogues, isogenic pairs, CRISPR/siRNA), pharmacologically, & *in vivo*

DECIPHER™

Dual CRISPR SL Library in DNA Damage Repair [2]



Evaluation of DNA Damage Targets synthetic lethal with tumor suppressor or oncogenes

PAGEO™

Paralogous Gene Evaluation in Ovarian Cancer [1]



Evaluation of SL targets in context of functionally redundant paralogous genes in ovarian cancer

Partnership Datasets

Cancer Dependency Map – Broad Institute

Foundation Insights™ – Foundation Medicine

depmap portal FOUNDATIONINSIGHTS™

Public Databases

IDEAYA data mining and analysis across data sets

PROJECTGENIE TCGA MSK-IMPACT™ Project Achilles BioPortal CCLE

[1, 2] IDEAYA Proprietary Libraries and Datasets – Strategic Collaborations with Broad Institute[1] and UC San Diego[2]

IDEAYA Synthetic Lethality Platform

Synthetic Lethality Target and Biomarker Discovery and Validation

DECIPHER™ Dual CRISPR Proprietary Synthetic Lethality Library

DECIPHER™

Dual CRISPR SL Library in DNA Damage Repair [1]



Evaluation of DNA Damage Targets synthetic lethal with tumor suppressor or oncogenes

DECIPHER™ DDR Library 1.0

~225 Non-Overlapped Genes

~12,000 Gene Pairs per Cell Line
67 TSG/OG's and 176 DDR Targets

Curated Breast / Lung Cell Lines

DECIPHER™ Genes

>20 Novel Drug Targets Identified

Target Validation Ongoing

[1] Developed in Collaboration with UCSD, Principal Investigator – Dr. Trey Ideker

IDEAYA is Advancing the Next Generation of Synthetic Lethality Programs

IDEAYA Synthetic Lethality Pipeline

IDE397 (MAT2A/MTAP) in Phase 1 to treat MTAP-deletion Solid Tumors

Differentiated clinical candidate advancing in-clinic as Monotherapy

Potential to evaluate in major indications, including in NSCLC, Pancreatic, Gastric, Esophageal, Bladder, H&N

Targeting PARG and Pol Theta Development Candidates in H2 2021

PARG monotherapy efficacy in multiple tumor types; Pol Theta + PARPi combination regressions in BRCA2-/- xenograft

Advancing WRN Helicase and Synthetic Lethality Platform

Robust pipeline of next generation of synthetic lethality programs, including WRN Helicase, MTAP-SL and DDT Targets



HRD = Homologous Recombination Deficiency, MSI = Microsatellite Instability

MAT2A Inhibition is Synthetic Lethal with MTAP Deletion

MTAP Deletion Prevalence ~15% of all Solid Tumors

MTAP-MAT2A Synthetic Lethality Biology



MTAP Deletion Prevalence

Cancer Type	N	MTAP Deletions (%)
Glioblastoma	592	41
Mesothelioma	87	32
Esophageal	95	28
Bladder	411	26
Pancreatic	184	22
Melanoma	448	16
Lung Cancer (NSCLC)	1053	15
Head and Neck	523	14
Sarcoma	255	10
Esophagogastric	514	10
Diffuse Glioma	513	9
Breast	1084	3
Ovarian	585	3
Adrenocortical	92	3
Thymic	123	3
Hepatocellular	369	3
Renal non-clear cell	348	2

Data from The Cancer Genome Atlas in cBioPortal

IDE397: MAT2A Development Candidate *in vitro* Profile

IDE397 is selective for MTAP-/- Cell Lines

IDE397 is Selective for MTAP-/- Cell Lines



MTAP-/- cell lines are sensitive to IDE397

MTAP WT cell lines are generally insensitive

Pharmacological inhibition correlates with MAT2A genetic knockdown

IDE397 has Broad Activity across Tumor Types



~800 cell line panel

Differential sensitivity across tumor types; potential for discovery of additional predictive biomarkers

MTAP gene expression and copy number loss emerge as top predictors of sensitivity across cell lines

IDEAYA Data

IDEAYA Analysis / PRISM Screen - Broad DepMAP Consortium

IDE397: MAT2A Inhibitor

Preclinical Evaluation of IDE397 – Differentiated Profile and Selective for MTAP-/- Cell Lines

IDE397 Target Product Profile

IDE397 demonstrates superior cellular potency and selectivity compared to AG-270

IDE397 has not caused preclinical liver injury or increased bilirubin

- Not an inhibitor of UGT1A1 (AG-270 noted to inhibit UGT1A1)[1] or BSEP transporters at relevant concentrations
- Liver injury not observed in preclinical tox studies

IDE397 has favorable physical properties, including solubility

- AG-270 observed non-linear exposure >200mg QD (GI absorption)

IDE397 demonstrates *in vivo* efficacy and PD modulation at 5 to 30mg/kg

- AG-270 published preclinical dose typically 200mg/kg QD [1]

Biochemical and *in vitro* Potency and Selectivity

	IDE397	AG-270
MAT2A biochemical IC_{50} (nM)	7	12
KP4 EC_{50} cellular (nM) MAT2A dependent	15	731
BXPC3 cellular EC_{50} (nM) MAT2A independent	13200	1630
HuCCT1 cellular EC_{50} (nM) MAT2A independent	>20000	**1400**

Differentiating ADME/Physicochemical Properties

	IDE397	AG-270
BSEP inhibition @10µM (%)	1	**25.2**
UGT1A1 inhibition (%)	34	83
PXR Emax @30 µM (%)	9	**35**
Solubility @pH 7.4 (µM)	>100µM	**BLOQ***

IDEAYA Data

*BLOQ = below limit of quantitation

(1) Agios, AACR 2019, Keystone 2019, Triple Meeting 2019 (Webcast Call Q&A), J Med Chem 2021

IDEAYA BIOSCIENCES

IDE397 Monotherapy Demonstrates Tumor Regressions and Robust PD Modulation in CDX Xenograft models

NSCLC Endogenous MTAP-/- CDX Model



IDEAYA Data

SDMA and SAM are Proximal PD Biomarkers of MAT2A inhibition

SDMA and SAM are modulated in a dose dependent manner



IDEAYA Data: Fischer et. al., AACR 2021

Robust dose-dependent efficacy and PD modulation observed in NSCLC CDX Model

IDE397: PDX Study of >40 MTAP-/- Models in Multiple Indications

Monotherapy Tumor Regressions & Significant TGI Across Multiple Solid Tumor Types

NSCLC and Bladder Cancer MTAP-/- PDX Models

NSCLC PDX Model



Bladder PDX Model



IDEAYA Data

Panel Study of >40 MTAP-/- PDX Models



IDEAYA Data: Fischer et. al., AACR 2021

IDE397 evaluation in Patient Derived Xenograft (PDX) models with homozygous MTAP deletions in Solid Tumors

- Tumor Regressions (≥ 100% TGI) observed in multiple PDX models / indications, including in 2 of 4 NSCLC squamous models, with 1 CR
- Observed > 60% TGI in 11 of 13 NSCLC PDX models, including in 7 of 9 adenocarcinoma and in 4 of 4 squamous carcinoma PDX models

TGI = Tumor Growth Inhibition, CR = Complete Response

IDE397 Combination Strategy

Multiple Approaches initiated to identify Novel Combination Partners

Evaluating Combinations in Collaboration with GSK

Large Scale Drug Combination Screen

- Evaluating over 100 compounds representing broad range of oncology pathways as potential novel combination partner for IDE397
- Evaluating 14 MTAP-deleted cell lines representing multiple oncology indications

Ex vivo Approaches

- Evaluating CDX-derived spheroids and PDX-derived organoids to recapitulate *in vivo* conditions of tumor growth and immune interactions

In vivo Approaches

- Testing CDX and PDX models with standard of care and rational combinations based on co-occurring mutations

IDE397 + Taxane Combination

Pancreatic PDX Model



IDEAYA Data

IDE397 Phase 1 Clinical Trial

Comprehensive Approach for Concurrent Evaluation of Monotherapy and Combinations

Phase 1 Dose Escalation and Expansion Strategy



Addressable Patient Population of ~75,000 estimated in US, EU5 and JP across six indications, including NSCLC, head and neck, bladder, gastric, pancreatic and esophageal cancers

PARG Synthetic Lethality Program

Targeting Development Candidate in H2 2021

PARG Biology

Novel target in Clinically Validated Pathway

Poly(ADP-ribose) glycohydrolase (PARG) regulates DNA repair by hydrolyzing PAR chains in final step of DDR cycle



Cancer Research (Aug 2019), Cancer Research (Jul 2019), Cancer Cell (Mar 2019)

PARG Drug Discovery Program

Key Emerging Target with lead optimization program guided by structure-based drug design to identify potent, selective candidates



- Multiple potent cellularly active compounds demonstrate *in vitro* and *in vivo* PAR accumulation (PD) and *in vivo* efficacy in defined biomarker setting
- Collaboration with Bill Sellers lab (Broad) established to identify additional genetic sensitizers to PARGi

IDEAYA Data

Biomarker Selected *in vitro & in vivo* Models are Sensitive to IDEAYA PARGi

Differentiated Activity to PARP inhibition in Ovarian, Gastric and Breast Cancer Models

Ovarian Cancer HRD Cell Line Models



PARGi Tumor Regression and enhanced TGI relative to PARPi

Dose-dependent poly-PAR (PD) accumulation



Gastric Cancer HRD Cell Line Models



PARGi Tumor Regression in PARPi Refactory Setting

Dose-dependent poly-PAR (PD) accumulation



Breast Cancer HRD Cell Line Models



PARGi Tumor Regression and enhanced TGI relative to PARPi

Dose-dependent poly-PAR (PD) accumulation



IDEAYA PARGi shows Robust TGI in Breast PDX Models

Monotherapy Tumor Regressions observed across Multiple Breast PDX Models

Breast Cancer PDX Model 1



Breast Cancer PDX Model 2



Breast Cancer PDX Model 3



Evaluation of IDB-PARG in Patient Derived Xenograft (PDX) models in Breast Cancer

- Tumor Regressions (≥ 100% TGI) observed in multiple PDX models with defined genetic and subtyping profiles
- Enhanced Tumor Growth Inhibition (TGI) relative to Niraparib (PARPi) observed in some models

Pol Theta Synthetic Lethality Program

Targeting Development Candidate in H2 2021

Pol Theta Synthetic Lethality with BRCA/HRD

DNA polymerase theta (Pol Theta) promotes DNA repair by Microhomology-Mediated End-Joining (MMEJ) an error-prone mutagenic DNA repair pathway

MMEJ is active, and Pol Theta is overexpressed, in HRD cancer cells (e.g. BRCA1/2) making Pol Theta a SL target in HRD cancers

PARP1 & Pol Theta are both involved in MMEJ mediated DNA repair supporting a synergistic effect

IDEAYA Pol Theta inhibitors show selective cell viability effects in DLD1 BRCA2-/- vs. wildtype cell lines

Advancing both small molecule inhibitors and protein degraders

IDEAYA Data

Pol Theta ATPase inhibitor *In Vivo* Activity

Pol Theta inhibitor in combination with niraparib demonstrates significant tumor regression in DLD1 BRCA2-/- xenograft model

Regressions observed for all animals dosed within combination study



IDEAYA Data

Werner Helicase Synthetic Lethality Program

Candidate Biomarker: High-MSI (15% GI Cancers and 16% CRC) [1]

Werner Helicase Synthetic Lethal with High-MSI

CellPress

Werner Syndrome Helicase is Required for the Survival of Cancer Cells with Microsatellite Instability

IDEAYA Publication

Cell Press, iScience, March 2019, Hager et al



Project Drive: WRN is essential in MSI-High cancer cell lines



Project Drive

Werner Inhibitor Cellular PD and Viability

PD-marker: dose dependent increase of DNA damage marker γH2AX

Cell viability: MSI-high specific cell viability effect; no effect in MSS cell lines

***In vivo* efficacy**: Preliminary WRN inhibitor *in vivo* PD and efficacy



IDEAYA Data

[1] Cancer Res., November 1998

Darovasertib (IDE196) Phase 1/2 Clinical Update

Robust Mono 1-Year Overall Survival Data and Early Partial Responses in Combinations

Darovasertib Monotherapy Overall Survival in MUM [1]

Monotherapy

n=81 (predominantly 2L/3L and heavily pre-treated to7L/8L)



- 57% 1-Year Overall Survival with 95% CI (44%, 69%)
- 13.2 mo Median OS with 95% CI (10.7 mo, Not Reached)
- Historical 1-Year OS = 37% and Median OS = 7mo[2] in similar predominantly 2L/3L+ patient population

Darovasertib Combination Activity in MUM [1]

Darovasertib + Binimetinib

n=24 with 14 evaluable patients



Darovasertib + Crizotinib

n=6 with 2 evaluable patients



- Daro/Bini: tumor reduction observed in 11 of 14 (79%) evaluable patients, with 2 partial responses out of nine patients with >2 post-baseline scans (22%)
- Daro/Crizo: tumor reduction observed in 2 of 2 evaluable patients, with 1 partial response out of two patients evaluable for response with at least one post-baseline scan
- Historical response in MUM = zero to low/mid-single-digit %

[1] IDEAYA Data (based on preliminary analysis of unlocked database, including: pooled IDEAYA and Novartis BID monotherapy clinical data as of Apr 13, 2021; and IDEAYA darovasertib + binimetinib as of Apr 13, 2021 and darovasertib + crizotinib as of May 5, 2021)

[2] Rantala 2019 (meta-analysis of overall survival of patients with metastatic uveal melanoma over 1980 to 2017 evaluated by treatment modality and lines of treatment)

Darovasertib (IDE196) Phase 1/2 Clinical Program Overview

Clinical Data Supports Potential Registrational Strategies

Metastatic Uveal Melanoma (MUM) [1]

Darovasertib Monotherapy

- 57% 1-year Overall Survival and median OS 13.2 months in MUM 2L/3L+ to 7L/8L
- Historical 1-Year OS 37% and median OS 7 months in MUM 2L/3L+ [2]

Darovasertib + Binimetinib (MEKi) – Ph 2 Expansion in MUM

- Preliminary IDE196 / binimetinib combination data shows early partial responses (PR's), with 2 PR's (including 1 confirmed PR) observed out of nine evaluable patients with at least two post base-line scans (22%)
- Program Goal: >20% ORR and enhance IDE196 monotherapy overall survival

Darovasertib + Crizotinib (cMETi) – Ph 1 Dose Escalation in MUM

- Preliminary IDE196 / crizotinib data shows clinical activity with 1 uPR
- Phase 1 dose expansion; enrollment ongoing; preclinical synergy demonstrated [3]

Potential Clinical & Regulatory Strategies in MUM

Targeting Regulatory Guidance for MUM in H2 2021

- Monotherapy: Randomized, Overall Survival Endpoint in 1L or 2L/3L
- Combination: Darovasertib + Binimetinib: Single Arm, ORR Endpoint with potential for Accelerated Approval Pathway in 1L or 2L/3L
- Optionality for 1L (HLA-A201 Negative) or 2L/3L+ (Independent of HLA Status)

GNAQ/GNA11 Basket Trial (Non-MUM)

Darovasertib Monotherapy – Ph 2 in GNAQ/11 Skin Melanoma

- Tumor reduction in 80% of evaluable (n=5); 1 confirmed PR
- Potential to evaluate combination therapies (e.g., + Bini, Crizo)

Addressable GNAQ/11 Patients (US/EU5)



No FDA Approved Therapies for MUM or Other GNAQ-Mutation Tumors

Total Addressable Patient Population = ~9K patients/ yr

[1] IDEAYA Data (as of April 13, 2021 based on preliminary analysis of unlocked database, including: pooled IDEAYA and Novartis BID monotherapy clinical data; IDEAYA darovasertib + binimetinib combination data; and IDEAYA GNAQ skin melanoma data)
[2] Rantala 2019 (meta-analysis of overall survival of patients with metastatic uveal melanoma over 1980 to 2017 evaluated by treatment modality and lines of treatment); Historical response rates in MUM range from zero to low- to mid-single-digit percent
[3] IDE196+ cMET Preclinical Combination Data AACR 2021

Building a Premier Synthetic Lethality Focused Precision Medicine Oncology Biotech in 2021 and Beyond

Focus on Potential *First-in-Class* Synthetic Lethality Programs to Deliver Patient Breakthroughs

Patient Impact: Large addressable patient populations in major solid tumor types

Potential First-in-Class / Best-in-Class: Optimized small molecule and protein degrader development candidates

Precision Medicine: Compelling biomarker hypotheses for patient selection and pharmacodynamic

Synthetic Lethality Platform: Deep and rich target pipeline with ongoing target identification and validation

MTAP-Deletion

IDE397 (MAT2A)
Phase 1 Pharmacodynamic Data
H2 2021

MTAP-SL Target
Lead Series ID

HRD/BRCA

PARG
Development Candidate Nomination
H2 2021

Pol Theta
Development Candidate Nomination
H2 2021

DNA Damage Target
Lead Series ID

MSI-High

Werner Helicase
Lead Optimization

2021 Target Catalysts to Build Industry Leading Synthetic Lethality Pipeline

DDT = DNA Damage Target