



May 2022

NASDAQ: **IDYA**

IDEAYA Biosciences

Improving Lives
Through Transformative
Precision Medicines

Safe Harbor Statement

Certain statements in this presentation and the accompanying oral commentary are forward-looking statements. These statements relate to future events or the future financial performance of IDEAYA Biosciences, Inc. (the “Company”) and involve known and unknown risks, uncertainties and other factors that may cause the actual results, levels of activity, performance or achievements of the Company or its industry to be materially different from those expressed or implied by any forward-looking statements. In some cases, forward-looking statements can be identified by terminology such as “may,” “will,” “could,” “would,” “should,” “expect,” “plan,” “anticipate,” “intend,” “believe,” “estimate,” “predict,” “potential” or other comparable terminology. All statements other than statements of historical fact could be deemed forward-looking, including any expectations regarding the Company’s target discovery platform or new target validation efforts as creating opportunities for research and development initiatives; any projections of financial information, market opportunities, cash runway or profitability; any statements about historical results that may suggest trends for the Company’s business; any statements of the plans, strategies, and objectives of management for development programs or future operations; any statements about the timing of preclinical research, clinical development, regulatory filings, manufacturing or release of data; any statements of expectation or belief regarding future events, potential markets or market size, technology developments, or receipt of cash milestones, option exercise fees or royalties; and any statements of assumptions underlying any of the items mentioned. The Company has based these forward-looking statements on its current expectations, assumptions, estimates and projections. While the Company believes these expectations, assumptions, estimates and projections are reasonable, such forward-looking statements are only predictions and involve known and unknown risks and uncertainties, many of which are beyond the Company’s control. These and other important factors may cause actual results, performance or achievements to differ materially from those expressed or implied by these forward-looking statements. The forward-looking statements in this presentation are made only as of the date hereof. For a further description of the risks and uncertainties that could cause actual results to differ from those expressed in these forward-looking statements, as well as risks relating to the business of the Company in general, see the Company’s periodic filings with the Securities and Exchange Commission (the “SEC”), including its Annual Report on Form 10-K for the year ended December 31, 2021, and any current and periodic reports filed thereafter. Except as required by law, the Company assumes no obligation and does not intend to update these forward-looking statements or to conform these statements to actual results or to changes in the Company’s expectations.

This presentation concerns anticipated products that are under clinical investigation and which have not yet been approved for marketing by the U.S. Food and Drug Administration (FDA). It is currently limited by Federal law to investigational use, and no representation is made as to its safety or effectiveness for the purposes for which it is being investigated.

IDEAYA Biosciences Highlights

Leading Synthetic Lethality (SL) focused biotechnology company advancing transformative precision medicine therapies for cancer patients

- **Broad Pipeline of Key Emerging Targets** including clinical stage IDE397 (MAT2A) and darovasertib (PKC), and maturing preclinical candidates for PARG, Pol Theta and Werner
- **Pharma Collaborations** with GSK (over ~\$3 billion in potential milestones) and Pfizer
- **Strong Balance Sheet** with ~\$346M in cash anticipated to fund operations into 2025 ^{1, 2}
- **NASDAQ:** IDYA

- **2022 Target Catalysts**

- IDE397 (MAT2A) – Phase 1 (Mid-Year)
 - Monotherapy Expansion Cohorts
 - Combination Cohorts Initiation
 - GSK Option Data Package; \$50M Option Exercise Fee
- IDE161 (PARG) – IND (Q4)
- Pol Theta – Development Candidate (Q2)
- Darovasertib (PKC) – Phase 1/2 (Mid-Year)
 - Clinical Data Update for Daro + Crizotinib in MUM
 - Regulatory Guidance for Daro + Crizotinib in MUM

(1) IDEAYA Form 10-Q filed with the U.S. Securities and Exchange Commission on May 10, 2022

(2) Includes cash, cash equivalents and marketable securities as of March 31, 2022

Synthetic Lethality


The Next Frontier in Precision Medicine Oncology

Synthetic Lethality provides a powerful approach to discover novel precision medicine therapies with patient biomarkers, including MTAP-deletion (~15% of solid tumors), BRCA/HRD (Breast, Prostate, Ovarian), and high-MSI (15% GI Cancers)



- **Synthetic lethality** occurs when the simultaneous perturbation of two genes results in cell death
- Synthetic lethality provides a novel approach to target several historically undruggable loss of function mutations
- Large-scale screening for synthetic lethal targets has progressed through advances in molecular biology (e.g., RNA interference, CRISPR-Cas9 editing) and bioinformatics

Nature Reviews Genetics, Vol. 18, 2017, Hieter, et al., as edited by IDEAYA



Reference: Charles Boone

IDEAYA's Precision Medicine Oncology Pipeline

Building the Industry Leading Synthetic Lethality Focused Biotechnology Company

Precision Medicine Pipeline

	Modality/Indication	Biomarker	Preclinical	IND Enabling	Phase 1	Phase 2	Program Goals	Collaborations	Commercial (IDEAYA)
IDE397 <i>MAT2A</i>	Monotherapy Solid Tumors	MTAP					Cohort Expansion Mid-2022 GSK Option Data Package Mid-2022	 (1)	US 50/50 Profit Share Ex-US Royalties
	Combinations Solid Tumors	MTAP					Ph 1 Initiation Mid-2022		
PARG	Ovarian, Gastric, Breast Cancers	HRD					IND Q4 2022	 (2)	WW Commercial Rights
Pol Theta	Small Molecule Protein Degraders	HRD					Development Candidate Q2 2022	 (1)	Global Royalties
WRN	GI Cancers	High-MSI					Development Candidate 2023	 (1)	US 50/50 Profit Share Ex-US Royalties
MTAP-SL	Solid Tumors	MTAP					Lead Series		WW Commercial Rights
SL Platform	Solid Tumors	Defined Biomarker					Lead Series New Target / Biomarker Validation		WW Commercial Rights
Darovasertib <i>PKC</i>	+cMET Combination MUM, Basket	GNAQ/11					Daro + Crizo Clinical Update in MUM Mid-2022 Regulatory Guidance in MUM Mid-2022	 (3)	WW Commercial Rights
	Monotherapy UM Adjuvant	GNAQ/11					UM Adjuvant – Phase 1 IST H1 2022		
	+cMET ³ ,+KRAS Combo NSCLC, HCC	MET KRAS					cMET ³ - Preclinical Validation / IND Q4 2022 KRAS – Preclinical Evaluation H2 2022	 (3)	

(1) Pursuant to GSK Collaboration, Option and License Agreement: MAT2A and WRN: 50/50 US Profits + ex-US Royalties; Polθ: Global Royalties

(2) Pursuant to CRUK Evaluation, Option and License Agreement; IDEAYA controls all Commercial Rights

(3) Pursuant to Pfizer Clinical Trial Collaboration and Supply Agreements, including for Darovasertib/Crizotinib Combination in MUM and in cMET-driven Tumors; IDEAYA retains all Darovasertib Commercial Rights

MAT2A=methionine adenosyltransferase 2a, MTAP=methylthioadenosine phosphorylase, PARG= poly (ADP-ribose) glycohydrolase, DDT = DNA Damage Target, WRN = Werner Helicase, Polθ = DNA Polymerase Theta, HRD = homologous recombination deficiency, MSI = microsatellite instability, PKC = protein kinase C, MUM = metastatic uveal melanoma, cMET = tyrosine kinase protein MET, Crizo = crizotinib, NSCLC = non-small cell lung cancer, HCC= hepatocellular carcinoma WW = worldwide

= 2022 Target Program Milestone

IDEAYA and GSK Strategic Partnership

Landmark Partnership in Synthetic Lethality



Transformative Strategic Partnership

- Validates IDEAYA Synthetic Lethality platform
- Creates strategic combination opportunities
- Advancing small molecules and protein degraders

Key Partnership Terms

- \$100M cash upfront
- \$20M equity investment as direct private placement
- \$50M option exercise fee for MAT2A
- Over \$3 billion in potential Milestone Payments, including approximately \$1 billion per program
- 50/50% US profit share for MAT2A and Werner Helicase
- 20/80% IDEAYA/GSK cost share for MAT2A and Werner
- Royalties tiered high single-digit to sub-teen double digit %

MAT2A (MTAP Deletion)

- \$50M Option Fee, 50/50% US Profit Share & ex-US Royalties
- Option Data Package based on Clinical Dose Escalation Data
- ~\$1B potential Milestone Payments, including \$465M Dev/Reg
- Evaluating multiple clinical combination opportunities

Werner Helicase (MSI High)

- 50/50% US Profit Share and ex-US Royalties
- Milestones: ~\$1B, incl up to \$20M Preclinical / Ph1 Clinical
- Potential Combination with GSK's Dostarlimab, a PD-1 IO Agent

Pol Theta (BRCA/HRD)

- Global Royalties with GSK covering all Costs
- Milestones: ~\$1B, incl up to \$20M Preclinical / Ph1 Clinical
- Potential Combination with GSK's Zejula™, a PARP Inhibitor

IDEAYA Leadership Team and Scientific Advisory Board

Experienced Team & Scientific Thought Leaders in Precision Medicine Oncology

IDEAYA Executives & R&D Leadership



Yujiro Hata, M.B.A.
President, Chief Executive Officer, Director



Michael White, Ph.D.
SVP, Chief Scientific Officer, Head of Research



Paul Stone, J.D.
SVP, Chief Financial Officer



Mark Lackner, Ph.D.
SVP, Head of Biology & Translational Sciences




Matthew Maurer, M.D.
VP, Head of Clinical Oncology & Medical Affairs



Mick O'Quigley, M.B.A.
SVP, Development Operations



Paul Barsanti, Ph.D.
SVP, Head of Drug Discovery



Jason Throne, J.D.
SVP, General Counsel



IDEAYA Scientific Advisory Board



Frank McCormick, Ph.D.
SAB Chair
UCSF, Professor and former Director, Helen Diller Cancer Center
Former President AACR; Founder and CSO, Onyx



William Sellers, M.D.
Broad Institute, Dana Farber, and Harvard, Professor
Novartis, Former Head Oncology Research,
SL Project Drive initiative



Trey Ideker, Ph.D.
UCSD, Professor, Co-Director Cancer Genomes & Networks
Program, Research in Dual-CRISPR and SL interaction maps



Brian Daniels, M.D.
Bristol Myers Squibb, Former SVP Global Development
& Medical Affairs




Elizabeth Swisher, M.D.
University of Washington, Professor; Co-Leader, Breast and
Ovarian Cancer Research Program, Seattle Cancer Care Alliance
Principal Investigator on multiple PARP inhibitor trials



Jeffrey Hager, Ph.D.
Former Chief Technology Officer, IDEAYA

IDEAYA Synthetic Lethality Platform

Fully-Integrated Target, Biomarker, Drug Discovery and Translational Capabilities



IDEAYA Synthetic Lethality Platform

Synthetic Lethality Target and Biomarker Discovery and Validation



Synthetic Lethality Target Discovery & Validation Platform


IDEAYA SL Platform integrates extensive proprietary and public data sets with orthogonal and complementary content

Bioinformatic analysis enables identification and validation of synthetic lethal target / biomarker interactions across vast datasets

Robust SL interactions validated genetically (Dual CRISPR, paralogues, isogenic pairs, CRISPR/siRNA), pharmacologically, & *in vivo*

DECIPHER™

Dual CRISPR SL Library in DNA Damage Repair ⁽²⁾




Evaluation of DNA Damage Targets synthetic lethal with tumor suppressor or oncogenes

>20 Novel Drug Targets Identified
Target Validation Ongoing

PAGEO™

Paralogous Gene Evaluation in Ovarian Cancer ⁽¹⁾



Evaluation of SL targets in context of functionally redundant paralogous genes in ovarian cancer

Partnership Datasets

Cancer Dependency Map – Broad Institute
Foundation Insights™ – Foundation Medicine



Public Databases

IDEAYA data mining and analysis across data sets



IDEAYA Synthetic Lethality Drug Discovery Platform

Structure-Based Drug Design & Proprietary Chemical Library Enable “Hard to Drug” Targets



Structural Biology & Structure Based Drug Design

Full suite of capabilities in structural biology, biophysics, & computational chemistry

Ligand bound co-crystal structures resolved to enable Structure Based Drug Design for each of 6 Synthetic Lethality Programs

- MAT2A
- PARG
- Pol Theta (polymerase & helicase)
- Werner Helicase
- 2 undisclosed targets


Multiple potential “first-in-world” co-crystal structures resolved, including for PARG, Pol Theta Helicase and Werner Helicase

INQUIRE™ Proprietary Chemical Library

Expert-curated HTS library to enhance hit discovery capabilities against novel SL targets classes, such as helicases and endonucleases

Over 200,000 compounds in IDEAYA proprietary library

Enhances IDEAYA's SL Drug Discovery Platform and competitive differentiation



IDEAYA Synthetic Lethality Pipeline Strategy

Building the Industry Leading Synthetic Lethality Focused Biotechnology Company

Focus on Potential *First-in-Class* Synthetic Lethality Programs to Deliver Patient Breakthroughs

Patient Impact: Potential First-in-Class / Best-in-Class

Significant Opportunities: Large Target Patient Populations

Precision Medicine: Compelling Patient Selection and Pharmacodynamic Biomarkers

Synthetic Lethality Platform: Deep and rich Target Pipeline with ongoing Target Identification and Validation

MTAP Deletion

IDE397 (Ph1)
MTAP-SL (PC)

HRD / BRCA

IDE161 (DC)
Pol Theta Inhibitor (Late PC)
Pol Theta Degradar (PC)

MSI-High

Werner (PC)

GNAQ/11 MET Driven Tumors

Daro + cMET in MUM (Ph2)
and in HCC / NSCLC (PC)
Daro + KRAS G12C (PC)

SL Platform


First-in-Class-SL (Hit ID)
DDR (PC)
Novel Targets



MAT2A Inhibition is Synthetic Lethal with MTAP Deletion

MTAP Deletion Prevalence ~15% of all Solid Tumors

MTAP-MAT2A Synthetic Lethality Biology



MTAP Deletion Prevalence

Cancer Type	N	MTAP Deletions (%)
Glioblastoma	592	41
Mesothelioma	87	32
Esophageal	95	28
Bladder	411	26
Pancreatic	184	22
Melanoma	448	16
Lung Cancer (NSCLC)	1053	15
Head and Neck	523	14
Sarcoma	255	10
Esophagogastric	514	10
Diffuse Glioma	513	9
Breast	1084	3
Ovarian	585	3
Adrenocortical	92	3
Thymic	123	3
Hepatocellular	369	3
Renal non-clear cell	348	2

Data from The Cancer Genome Atlas in cBioPortal


IDE397: MAT2A Inhibitor

Differentiated Profile: Potent and Selective with Sensitivity in MTAP-/- Cell Lines

IDE397 Target Product Profile

- Superior cellular potency and selectivity vs AG-270
- No observed preclinical liver injury or increased bilirubin and does not inhibit UGT1A1 or BSEP transporters
- Favorable physical properties (e.g., solubility)
- *In vivo* efficacy and PD modulation at 5 to 30mg/kg

IDE397 is Selective for MTAP-/- Cell Lines



Biochemical and *in vitro* Potency

	IDE397	AG-270
MAT2A biochemical IC ₅₀ (nM)	7	12
KP4 EC ₅₀ cellular (nM) MAT2A dependent	15	731
BXPC3 cellular EC ₅₀ (nM) MAT2A independent	13200	1630
HuCCT1 cellular EC ₅₀ (nM) MAT2A independent	>20000	1400

Differentiating ADME / Physicochemical Properties

BSEP inhibition @10μM (%)	1	25.2
UGT1A1 inhibition (%)	34	83
PXR Emax @30 μM (%)	9	35
Solubility @pH 7.4 (μM)	>100μM	BLOQ*


*BLOQ = below limit of quantitation

IDE397: PDX Study of >40 MTAP-/- Models in Multiple Indications

Monotherapy Tumor Regressions & Significant TGI Across Multiple Solid Tumor Types


NSCLC and Bladder Cancer MTAP-/- PDX Models

NSCLC PDX Model




IDEAYA Data

Bladder PDX Model



Panel Study of >40 MTAP-/- PDX Models



IDEAYA Data: Fischer et. al., AACR 2021


IDE397 evaluation in Patient Derived Xenograft (PDX) models with homozygous MTAP deletions in Solid Tumors

- Tumor Regressions ($\geq 100\%$ TGI) observed in multiple PDX models / indications, including in 3 of 5 NSCLC squamous models, with 1 CR
- Observed $> 60\%$ TGI in 12 of 14 NSCLC PDX models, including in 7 of 9 adenocarcinoma and in 5 of 5 squamous carcinoma PDX models
- Observed 95%-100% tumor SDMA reduction in multiple MTAP-/- PDX models, with 9 of 12 models showing 80-100% reduction in SDMA

IDE397 Combinations Demonstrate Enhanced Anti-Tumor Response


Evaluating Multiple MAT2Ai Rational Combination Strategies

Combination Strategies Based on Mechanistic Hypotheses



MAT2A + MTAP-SL Combination

IDE397 + MTAP-SL Inhibitor *
Complete Response (CR) in NSCLC MTAP-/- CDX Model




IDE397 Clinical Data Summary

Robust SAM Reduction, Exposure-Dependent SDMA Modulation, Observed Tumor Shrinkage

Maximal Plasma SAM Reduction


Observed 75% Reduction in mean Plasma SAM Reduction for Cohort 5



Tumor PD – Cohort 5 NSCLC

95% Reduction of Tumor SDMA

Tumor SDMA IHC, 20X



$AUC_{ss}^2 = 5.9 \times$



² AUC_{ss} values normalized to Cohort 3 value

Observed Tumor Shrinkage


Preliminary Signal of Clinical Activity

Baseline CT Scan

Early Treatment Scan



Cohort 2 NSCLC: 15% Reduction*



Cohort 3 ACC with Lung Mets: 11% Reduction*


Favorable Preliminary Risk / Benefit Profile

- Observed preliminary signals of clinical activity, including exposure-dependent tumor pharmacodynamic modulation and tumor shrinkage
- Dose-proportional exposures (AUC and C_{max}) Cohort 1 to 5, with low C_{max}/C_{min} ratio, in target efficacious exposure range based on *in vivo* preclinical models
- No Drug-Related Serious Adverse Events (SAEs) and MTD Not Yet Observed through Cohort 5

IDE397 Phase 1 Clinical Trial

Comprehensive Approach for Concurrent Evaluation of Monotherapy and Combinations

Phase 1 Dose Escalation and Expansion Strategy ¹



Addressable Patient Population of ~75,000 estimated in US, EU5 and JP across six indications, including NSCLC, head and neck, bladder, gastric, pancreatic and esophageal cancers


PARG Synthetic Lethality Program

Targeting IND Q4 2021 for Development Candidate IDE161

PARG Biology

Novel target in Clinically Validated Pathway


Poly(ADP-ribose) glycohydrolase (PARG) regulates DNA repair by hydrolyzing PAR chains in final step of DDR cycle




Cancer Research (Aug 2019), Cancer Research (Jul 2019), Cancer Cell (Mar 2019)

PARG Drug Discovery Program


- Project structurally enabled
- Multiple potent cellularly active compounds demonstrate efficacy in defined biomarker setting
- IDE-161 delivers properties supporting development candidate selection



PARGi Sensitivity Enriched in HRD Models




Acquired PARPi Resistance Can Sensitize Tumor Cell to PARGi




Biomarker Selected CDX and PDX Models are Sensitive to PARGi

Differentiated Activity to PARP inhibition in Ovarian, Gastric and Breast Cancer Models


Ovarian Cancer HRD CDX Model




Gastric Cancer HRD CDX Model




Breast Cancer HRD CDX Model




Breast Cancer PDX Model 1



Breast Cancer PDX Model 2



Breast Cancer PDX Model 3



IDE161 Efficacy Profile Differentiates from PARPi

Multiple Endogenous HRD Cell Lines are Selectively Sensitive to IDE161 vs PARPi

Ovarian HRD

Cell Line	IDE161 IC ₅₀ (μM)	Niraparib IC ₅₀ (μM)
Line A	0.009	1.3
Line B	0.008	2.7
Line C	0.05	0.68
Line E	4.9	0.22
Line F	2.34	0.22
Line G	0.6	0.65


Breast HRD

Cell Line	IDE161 IC ₅₀ (μM)	Niraparib IC ₅₀ (μM)
Line A	0.01	0.18
Line B	0.03	0.03
Line C	0.07	0.007
Line D	0.08	0.57
Line E	0.37	17.6
Line F	0.1	0.89
Line G	0.22	2.27
Line H	3.5	0.56
Line I	1.02	5
Line J	1.31	4.9
Line H	0.64	0.72

sensitive

insensitive

PARP-resistant HRD Model is Sensitive to PARG inhibition



PARGi Tumor Regression and enhanced TGI relative to PARP inhibitor (Niraparib) which observed ~35% TGI in this model



Pol Theta Synthetic Lethality Program

Targeting Development Candidate Q2 2022

Pol Theta Synthetic Lethality with BRCA/HRD

DNA polymerase theta (Pol Theta) promotes DNA repair by Microhomology-Mediated End-Joining (MMEJ) an error-prone mutagenic DNA repair pathway

MMEJ is active, and Pol Theta is overexpressed, in HRD cancer cells (e.g. BRCA1/2) making Pol Theta a SL target in HRD cancers

PARP1 & Pol Theta are both involved in MMEJ mediated DNA repair supporting a synergistic effect

IDEAYA Pol Theta inhibitors show selective cell viability effects in DLD1 BRCA2^{-/-} vs. wildtype cell lines

Advancing both small molecule inhibitors and protein degraders

IDEAYA Data


Pol Theta ATPase inhibitor *In Vivo* Activity

Pol Theta inhibitor in combination with niraparib demonstrates significant tumor regression in DLD1 BRCA2^{-/-} xenograft model

Regressions observed in multiple *in vivo* xenograft models in combination study

Durable response, e.g., out to 80 days, in multiple models

IDEAYA Data





Werner Helicase Synthetic Lethality Program

Targeting Development Candidate in 2023


Werner Helicase Synthetic Lethal with High-MSI

CellPress

Werner Syndrome Helicase is Required for the Survival of Cancer Cells with Microsatellite Instability


IDEAYA Publication

Cell Press, iScience, March 2019, Hager et al




Project Drive: WRN is essential in High MSI cancer cell lines

Project Drive




Werner Inhibitor Cellular PD and *In Vivo* Efficacy

WRN inhibitor PD and *in vivo* efficacy with ~100% TGI and tumor regression




High MSI Xenograft Model



IDEAYA Data

MSS Xenograft Model



¹ Cancer Res., November 1998

High-MSI (15% GI Cancers and 16% CRC)¹


Darovasertib: Phase 2 PKC Inhibitor

Potential First-in-Class and Best-in-Class Precision Medicine Oncology Program

PKC + cMET Synthetic Lethal Discovery

High cMET expression Associated with Metastatic Progression

Metastatic Uveal Melanoma




- HGF promotes cancer cell growth and survival
- Translational Research hypothesis: HGF-induced cMET signaling in the liver microenvironment activates an alternative pathway for MUM tumor progression

IDEAYA Darovasertib Investor Day, 2021

Preclinical Synergy


Darovasertib + Crizotinib Synergy in MUM Cells



IDEAYA Data AACR 2021

Clinical Phase 1 Data Association

Darovasertib Ph 1 Association with cMET Activity



PD=Progressive Disease, SD=Stable Disease, PR=Partial Response

IDEAYA Data

Primary Uveal Melanoma is typically treated with radiation and/or enucleation

Metastatic Uveal Melanoma (MUM) occurs in approximately 50% of patients

MUM presents predominantly as liver metastasis in ~90% of patients


Historical treatment approaches have been ineffective with no approved therapies targeting PKC

Darovasertib advantages vs current MUM therapy: no patient selection, oral, ↑ response rate


Darovasertib Clinical Experience in Heavily Pre-Treated MUM

Darovasertib + Crizotinib Combination – Preliminary Efficacy Data for Phase 2 Expansion

Darovasertib Monotherapy in MUM ¹



Darovasertib + Crizotinib Combination in MUM ³



Early Clinical PoC of PKC + cMET Synthetic Lethal

- 100% of patients show tumor reduction in target lesions (n=16 evaluable patients with ≥ 1 scan)
- Encouraging ORR% in heavily pre-treated MUM patients with ≥ 2 post-baseline scans (n=13)
- Baseline Characteristics of n=22 total patients, including 6 patients awaiting 1st scan (LDH > ULN in 65% of patients, 91% with prior therapies, 59% with 2 or more prior therapies)
- Program Goal: ORR >20%

¹ IDEAYA Data – Monotherapy data is based on preliminary analysis of unlocked database of pooled IDEAYA and Novartis BID monotherapy clinical data as of Apr 13, 2021)

² Synthetic Control Arm based on Rantala 2019 (meta-analysis of overall survival of patients with metastatic uveal melanoma over 1980 to 2017 evaluated by treatment modality and lines of treatment)

³ IDEAYA Data – Combination data is based on preliminary analysis of unlocked database as of 11/25/2021

Darovasertib + Crizotinib SL Combination Therapy

Differentiated Novel Treatment Mechanism in MUM

	Darovasertib + Crizotinib	Cabozantinib	Selumetinib + Dacarbazine	Tebentafusp
Target / Mechanism	PKC + cMET	cMET	MEK + Chemotherapy	HLA-A2-0201 Bi-Specific Ab
Study Name	NCT03947385	Alliance A091201 [^]	SUMIT (NCT01974752)	IMCgp100-102
Population	2L/3L+ MUM (n=16 eval)	1L+ MUM (n=31 eval)	1L+ MUM (n=97)	2L+ MUM (n=127)
Patient Selection	N/A (100% of MUM)	N/A (100% of MUM)	N/A (100% of MUM)	HLA-A2-0201 (~40-50% of MUM)
Drug Form	Oral Tablets (BID)	Oral Capsules (QD)	Oral Capsules (BID) plus chemo	IV Infusion (Weekly)
Tolerability (Grade ≥3 Drug-Related AE)	27%	51.6%	63% ^{^^} (All Cause)	46.5%
% of Pts with Tumor Shrinkage	100%*	23% ^{^^}	35% ^{^^}	44% [#]
Overall Response Rate (ORR)	31%*	0%	3% ^{^^}	4.7% [#]
Progression Free Survival (PFS)	Targeting mPFS update in H1 2022	2 m	2.8 m ^{^^}	2.8 m [#]
Overall Survival (OS)	[TBD]	6.4 m	Not reported	16.8 m [#]

* IDEAYA Ph 1/2 (ongoing): based on preliminary analysis of unlocked database as of 11/25/2021 by investigator or central review

[#] Based on Immunocore reported 2L+ study data (to reflect comparative patient population) and by independent review

[^] Randomized Phase II Trial and Tumor Mutational Spectrum Analysis from Cabozantinib versus Chemotherapy in Metastatic Uveal Melanoma (Alliance A091201); Clin Cancer Res 2020;26:804–11


^{^^} Estimated from Waterfall plot

^{^^^} Journal of Clinical Oncology, Carjaval, et. al, 2018; 1232-1239

Darovasertib Patient Population Analysis

GNAQ/GNA11 Melanoma & Additional MET-Amplified / High Expression Tumors

Addressable GNAQ/11 Patients



IDEAYA Analysis

Orphan Drug Designation (ODD) received from U.S. FDA for Darovasertib in Uveal Melanoma, including MUM

MUM, Adjuvant UM and GNAQ/11 Skin Melanoma

- No FDA Approved Precision Medicine Therapies for MUM or GNAQ/11-Tumors
- Clinical evaluation of opportunities in MUM (Ph2), Adjuvant Uveal Melanoma (Ph 1 IST) and GNAQ/11 Skin Melanoma (Ph1)
- Total Addressable Patient Population (US, EU28) ~7.1K pts/year

Evaluating Additional MET-Amplified / High Expression Tumors

- Patient selection based on CLIA-validated assays for MET-amplification (e.g., NGS, FISH) or high MET expression (e.g., IHC)
- HCC focus on refractory / resistant patients based on hypothesis of constitutively active cMET/HGF axis
- Planning to clinically evaluate Darovasertib + Crizotinib combination in HCC and NSCLC pursuant to Pfizer clinical collaboration and drug supply agreement

	MET-amplification	High MET Expression
NSCLC	~1-5% ^{1,2}	~3-4% ²
CRC	*	~3-9% ²
Gastric Cancer	*	~9-20% ²
HCC	~9% ³	~27% ³

1 Drilon et al., Journal of Thoracic Oncology, 2017, 12: 15-26

2 Sierra et al., Therapeutic Advances in Medical Oncology, 2011, 3: S21-S35

3 Lee et al., Anticancer Research, 2013, 33: 5179-5186

* not reported

δ = delta ε = epsilon

Synthetic Lethality Focused Precision Medicine Oncology Biotech

First-in-Class Synthetic Lethality Pipeline and Leading SL Platform

Broad Pipeline of Potential First-in-Class Synthetic Lethality Programs with large addressable patient populations in major solid tumor types, including Phase 2 (Darovasertib) and Phase 1 (IDE397) clinical-stage programs, and late preclinical (PARG, Pol Theta) programs

Validating and Value-Accretive Pharma Partnerships and Collaborations with Pfizer on Darovasertib (Clinical Collaboration and Drug Supply) and with GSK on MAT2A (Opt-In, 80% GSK Cost Share, Milestones, 50/50 US Profits), Pol Theta (100% GSK Cost Share, Milestones, WW Royalties) and Werner Helicase (80% GSK Cost Share, Milestones, 50/50 US Profits)

Strong Balance Sheet with ~\$346 M in cash anticipated to fund operations into 2025^{1, 2} and experienced leadership team

Multiple 2022 Target Catalysts for Clinical and Late Preclinical Programs

MTAP-Deletion

IDE397 (MAT2A)

Mono Expansions – Mid-Year
Combo Initiations – Mid-Year
GSK Option Package – Mid-Year

MTAP-SL

Lead Series ID

HRD/BRCA

PARG

IDE161 IND Filing – Q4

Pol Theta

Dev Candidate – Q2

MSI-High

Werner Helicase

Lead Optimization
Dev Candidate 2023

GNAQ/11 and/or MET-Driven Tumors

SL Combo: PKC + cMET

Clinical Update – Mid-Year
FDA Guidance – Mid-Year

Expansion Opportunities

cMET (HCC, NSCLC) Ph1 – Q4
KRAS Preclinical – Q4

SL Platform

First-in-Class – Lead Series ID
DDR – Lead Optimization
Novel SL Targets

(1) IDEAYA Form 10-Q filed with the U.S. Securities and Exchange Commission on May 10, 2022

(2) Includes cash, cash equivalents and marketable securities as of March 31, 2022